



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------------|------------------|
| 10/750,567 | 12/30/2003 | Gary L. McAlpine | 10559-900001 / P17948 | 5728 |
| 20985 7590 04/19/2007 FISH & RICHARDSON, PC P.O. BOX 1022 MINNEAPOLIS, MN 55440-1022 | | | EXAMINER CAMPOS, YAIMA | |
| | | | ART UNIT 2185 | PAPER NUMBER |
| SHORTENED STATUTORY PERIOD OF RESPONSE | | | MAIL DATE | DELIVERY MODE |
| 3 MONTHS | | | 04/19/2007 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

| | | | |
|------------------------------|-------------------------------|---------------------------------|--|
| Office Action Summary | Application No. 10/750,567 | Applicant(s) MCALPINE ET AL. | |
| | Examiner Yaima Campos | Art Unit 2185 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 February 2007.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-49 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-49 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The instant application having Application No. 10/750,567 has a total of 49 claims pending in the application; there are 7 independent claims and 42 dependent claims, all of which are ready for examination by the examiner. Claims 1-49 are pending in the instant Application.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on February 1, 2007 has been entered.

REJECTIONS BASED ON PRIOR ART

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-4, 8-13, 17, 20-24, 26, 33, 36, 38-42, 45-46 and 49 are rejected under 35

U.S.C. 103(a) as being unpatentable under Peck, Jr. et al. (US 6,741,258) in view of Karkhanis et al. (US 6,085,296).

5. As per claim 1 (Currently Amended) A machine-implemented method comprising: receiving, by a first process in a first user virtual memory address space, a shortcut to a physical

Art Unit: 2185

address associated with a level of a multi-level virtual address translation table; [Peck discloses “a structure 50 for translating virtual address into physical address in GART system 10... virtual page address can be stored in a page directory base register 52. The virtual page address points to the base address of a page directory 18 in a physical memory 56... page directory comprises n page directory entries, where n is equal to the number of page tables required to perform translation for a range of virtual addresses requested by a given application. Each page directory entry specifies a page table base address” (Col. 8, lines 42-67) “that is, each page table entry points to the base address for a particular page of information in physical memory 56... page directory 18 is utilized for the first level of indexing, and page table 20 is utilized for the second level of indexing” (Col. 9, lines 1-20) (Figures 1 and 4 and related text)]

posting a descriptor, the descriptor comprising a virtual address in the first user virtual memory address space and the shortcut, to an interface between the first process and a second process, [Peck discloses “interface units 22, which are separately designated with reference numerals 22a, 22b, 22c, and 22d, each function to support an interface between main memory device 14 and a specific processing device connected to control/interface device 12” (Col. 4, lines 33-59) “in operation, GART system 10, interface units 22 may receive linear addresses for data that are desired by the respective processing devices. The linear addresses correspond to locations in virtual memory... in order to retrieve the data from main memory device 14, the virtual linear addresses must be translated into physical addresses” (Column 5, lines 37-46) “for a two-level indexing scheme, page directory cache

Art Unit: 2185

34 function to store page directory entries from page directory 18 in main memory device 14” (Col. 6, lines 65-67) (Figures 1-2 and related text)]

wherein the second process is in a second user virtual memory address space [Peck discloses **interfaces 22 which receive linear address from processing devices which correspond to locations in virtual memory of these processing devices (Col. 5, lines 37-46)]**.

Karkhanis does not explicitly disclose the details of “determining, by the second process, the physical address corresponding to the virtual address based on at least the virtual address and the shortcut.”

Karkhanis discloses determining, by the second process, the physical address corresponding to the virtual address based on at least the virtual address and the shortcut [Karkhanis discloses “the page table structures is a multi-level structure with 3 levels of page tables. Virtual address translation begins with the Page Table Base Register (PTBR) 330, which contain the physical page denoting the root 332 of a process’s page table structure” (Col. 12, lines 45-59) “the data structure 400, 500 type used to manage shared leaf pages is the same as the type used to manage shared page tables 100” (Col. 4, line 56-Col. 5, line 14; Figure 1 and related text) “Global Section Descriptor (GSD) 400 describes the global section. GSD 400 includes the name 402 of the global section that is the handle used to manage the section” (Col. 13, lines 24-34) “at the user interface level, the name 402 (generally a test string) of the global section is its handle ” (Figure 4 and related text) “users have the ability to subdivide the address space into manageable chunks called virtual regions... a user creates a section and maps storage to a virtual region before accessing the addresses within the virtual region... upon successful creation of a virtual

Art Unit: 2185

region, the user is returned a handle that is in turn passed to the system service routines that create virtual address space. Shared page tables are implemented as sections” (Col. 7, lines 1-20) “shared page tables enable two or more processes to map to the same physical pages without each process incurring the overhead of page table construction... shared page tables are treated as a special case of the general management of global sections. A special global section that provides page table sharing is called a shared page table section” (Col. 8, lines 47-56)].

Peck, Jr. et al. (US 6,741,258) and Karkhanis et al. (US 6,085,296) are analogous art because they are from the same field of endeavor of computer memory access and control.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to one of ordinary skill in the art to modify the address translation system having an interface shared by different user applications and further provide determining, by the second process, the physical address corresponding to the virtual address based on at least the virtual address and the shortcut.

The motivation for doing so would have been because Karkhanis discloses [“the invention provides a method of and a system for sharing memory among processes in a computer. The sharing of program-accessible page between two processing is managed by a predefined mechanism of a memory manager” (Col. 1, lines 54-62) thereby facilitating memory sharing among different users/processes].

Therefore, it would have been obvious to combine Peck, Jr. et al. (US 6,741,258) with Karkhanis et al. (US 6,085,296) for the benefit of creating a method to obtain the invention as specified in claim 1.

Art. Unit: 2185

6. As per **claim 2** (Previously Presented) The method of claim 1 further comprising transferring data to or from a buffer located at the physical address [See Peck (Col. 4, lines 34-49) and Karkhanis (Col. 3, lines 6-25)].
7. As per **claim 3** (Original) The method of claim 1 further comprising: generating the shortcut by a third process [See Peck (Col. 4, lines 33-62) and Karkhanis (Col. 8, lines 47-56)].
8. As per **claims 4, 7, 26, 33 and 36** (Original) The method of claim 3 wherein generating the shortcut by the third process comprises: receiving a request to register a virtual buffer, the request including a virtual address corresponding to the start of the virtual buffer; determining the physical address of one level of the multi-level address translation table associated with the virtual memory space in which the virtual buffer resides; and generating a shortcut based on the physical address of the one level of the multi-level address translation table [See Karkhanis (Col. 7, lines 1-2-, Col. 8, lines 47-56; Col. 12, lines 45-59; Col. 13, lines 24-34; Figures 1-4 and related text) and Peck (Col. 4, lines 33-59; Col. 5, lines 37-46; Col. 6, lines 65-67; Col. 8, lines 42-67 and Col. 9, lines 1-20). Refer to rejection to claim 1 above].
9. As per **claims 8, 21 and 38** (Previously Presented) The method of claim 1 further comprising determining if the physical address is associated with the virtual address [Peck (Col. 2, lines 27-48) and Karkhanis (Col. 1, lines 63-Col. 2, line 5)].
10. As per **claims 9, 22 and 39** (Original) The method of claim 1 further comprising determining if the virtual page containing the virtual address is pinned into physical memory [memory protection and reservation; See Karkhanis (Col. 15, lines 8-24)].

Art. Unit: 2185

11. As per claims 10, 45 and 49 (Original) The method of claim 1 wherein the interface is a virtual interface [See **Karkhanis (Col. 3, lines 6-25)**].
12. As per claims 11, 23 and 40 (Original) The method of claim 1 further comprising determining if the first process is authorized to access the virtual address [See **“Security Considerations” in Karkhanis (Col. 12, lines 16-32; Col. 10, lines 65-67 and Col. 11, lines 1-4)**].
13. As per claims 12, 24 and 41 (Original) The method of claim 1 further comprising determining if descriptors posted to the interface between the first process and second process are authorized to access the virtual address [See **“Security Considerations” in Karkhanis (Col. 12, lines 16-32; Col. 10, lines 65-67 and Col. 11, lines 1-4)**].
14. As per claim 13 (Original) The method of claim 1 further comprising: receiving, by a first process, a plurality of shortcuts, each shortcut to a physical address associated with a level of a multi-level virtual address translation table [See **Peck (Col. 8, lines 42-67) and Karkhanis (Col. 12, lines 45-59)**].
15. As per claim 20. (Previously Presented) The method of claim 17 further comprising determining the physical address of the virtual address based on the virtual address and the shortcut, wherein the request includes the shortcut and a virtual address associated with the virtual buffer [The rationale in the rejection to claim 1 is herein incorporated].
16. As per claims 42 and 46 (Currently Amended)
A system comprising:
a client computer; and a server in communication with the client computer using a network, the server comprising:

Art Unit: 2185

a first processor capable of producing a shortcut to a physical address associated with a level of a multi-level virtual address translation table and writing a descriptor comprising a virtual address in a first user virtual memory address space and the shortcut to an interface; and

a second processor capable of performing operations in a second user virtual memory address space, the operations including reading the descriptor posted on the interface, determining a physical address of the virtual address based on at least the virtual address and the shortcut, and transferring data located at the physical address to the client computer using the network [The rationale in the rejection to claim 1 is herein incorporated. In addition, Karkhanis explain the invention is Applicable in VLM database applications supporting server processes (Col. 2, line 58-Col. 3, line 5)].

17. **Claim 1** is rejected under 35 U.S.C. 103(a) as being unpatentable under Peck, Jr. et al. (US 6,741,258) in view of Karkhanis et al. (US 6,085,296) as applied to claims 1-4, 8-13, 17, 20-24, 26, 33, 36, 38-42, 45-46 and 49 above and further in view of Arndt (US 2003/0204648).

18. As per claims 5-7, 14-16, 18-19, 25, 27-28, 34-35, 37, 43-44 and 47-48, the combination of Peck and Karkhanis discloses the method of claims 1, 4, 17, 26, 33, 36, 42 and 46 [See rejection to claims 1, 4, 17, 26, 33, 36, 42 and 46 above] wherein processes have different virtual memory address spaces but does not disclose expressly using a function/key to encrypt “the shortcut” which is unknown to a first/client process wherein only the host/second process is capable of decrypting said key.

Arndt discloses using function/key to encrypt “the shortcut” which is unknown to a first/client process wherein only the host/second process is capable of decrypting said key as [“a method, apparatus, and program for sharing logical resources among separate partitions

in a logically partitioned data processing system” (Page 1, Paragraph 0002) wherein an “opaque handle” refers to an entity “which cannot be directly de-reference by the untrusted agents” thereby protecting shared resources against “untrusted agents” (Pages 4, Paragraphs 0036-0038 and Figure 3). Arndt also explains that “the hosting (client) partition uses the hypervisor function, called H_PUT RTCE, which takes as a parameter the opaque handle of the RTCE (Remote Translation Control Entry) table, such as RTCE table 330” (Page 4, Paragraph 0036) wherein only the client partition has access to the RTCE table but not the TCE (Translation Control Entry) which belongs to the host partition and maps to physical addresses. The client partition is provided and opaque handle to perform I/O operations within the host partition’s memory space; therefore, preventing the client partition from containing references to a physical address of a logical resource that belongs to the host partition (Page 4, Paragraph 0042; Page 5, Paragraph 0046)].

Peck, Jr. et al. (US 6,741,258), Karkhanis et al. (US 6,085,296) and Arndt (US 2003/0204648) are analogous art because they are from the same field of endeavor of computer memory access and control.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the method and system for address translation having an interface shared by different user applications and further provide determining taught by Peck and Karkhanis and use a function/key to encrypt “the shortcut” which is unknown to a first/client process wherein only the host/second process is capable of decrypting said key as taught by Arndt.

The motivation for doing so would have been because Arndt discloses use a function/key to encrypt “the shortcut” which is unknown to a first/client process wherein only the host/second process is capable of decrypting said key provides **[protection for memory resources as “by resistant to forging, the opaque handle has the characteristic such that an untrusted agent is unlikely to be able to generate, by itself, a value that would be interpreted by the hypervisor as a valid opaque handle to a TCE table” wherein the hypervisor could tell if “some other agent was trying to forge a handle to a TCE table” (Page 4, Paragraph 0038)]**.

Therefore, it would have been obvious to combine Arndt (US 2003/0204648) with Peck, Jr. et al. (US 6,741,258) and Karkhanis et al. (US 6,085,296) for the benefit of creating a method/system to control I/O requests to shared storage devices to obtain the invention as specified in claims 5-7, 14-16, 18-19, 25, 27-28, 34-35, 37, 43-44 and 47-48.

19. As per claim 29, The system of claim 28 [See rejection to claim 28 above] wherein the instructions of the third process cause the second processor to determine if the physical address is associated with the second process” [See “Security Considerations” in Karkhanis (Col. 12, lines 16-32; Col. 10, lines 65-67 and Col. 11, lines 1-4)].

20. As per claim 30, The system of claim 28 [See rejection to claim 28 above] “wherein the instructions of the third process cause the second processor to determine if the associated virtual pages associate with the physical address are pinned into physical memory” [See “Security Considerations” in Karkhanis (Col. 12, lines 16-32; Col. 10, lines 65-67 and Col. 11, lines 1-4)].

1. As per claim 31, The system of claim 28 [See rejection to claim 28 above] “wherein the instructions of the third process cause the second processor to determine if the second process is

Art Unit: 2185

authorized to access the virtual buffer” [See “Security Considerations” in Karkhanis (Col. 12, lines 16-32; Col. 10, lines 65-67 and Col. 11, lines 1-4)].

2. As per claim 32, the combination of Langerman and Arndt discloses “The system of claim 27” [See rejection to claim 27 above] “wherein the instructions of the third process cause the second processor to determine if requests posted to the interface between the second process and the third process are to authorized access the virtual buffer” [See “Security Considerations” in Karkhanis (Col. 12, lines 16-32; Col. 10, lines 65-67 and Col. 11, lines 1-4)].

ACKNOWLEDGMENT OF ISSUES RAISED BY THE APPLICANT

Response to Amendment

21. Applicant's arguments filed on February 1, 2007 have been fully considered but they are moot in view of new grounds of rejection.

ARGUMENTS CONCERNING PRIOR ART REJECTIONS

22. All arguments by the applicant are believed to be covered in the body of the office action or in the above remarks and thus, this action constitutes a complete response to the issues raised in the remarks dated February 1, 2007.

Art Unit: 2185

CLOSING COMMENTS

Examiner's Note

23. Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant, in preparing the responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

STATUS OF CLAIMS IN THE APPLICATION

24. The following is a summary of the treatment and status of all claims in the application as recommended by M.P.E.P. § 707.07(i):

a(1) CLAIMS REJECTED IN THE APPLICATION

25. Per the instant office action, **claims 1-49** have received a first action on the merits and are subject to a non-final rejection.

26. For at least the above reasons it is the examiner's position that the applicant's claims are not in condition for allowance.

DIRECTION OF ALL FUTURE REMARKS

Art Unit: 2185

27. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yaima Campos whose telephone number is (571) 272-1232. The examiner can normally be reached on Monday to Friday 8:30 AM to 5:00 PM.

IMPORTANT NOTE

28. If attempts to reach the above noted Examiner by telephone are unsuccessful, the Examiner's supervisor, Mr. Sanjiv Shah, can be reached at the following telephone number: Area Code (571) 272-4098.

29. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

April 16, 2007



Yaima Campos
Examiner
Art Unit 2185



SANJIV SHAH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100